

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	3	"4491945".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/14 09:57
L4	2	@ad<="19991227" (start near4 transmit \$5) with (timer near4 bit) 370/216-218,230,231,235.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/14 10:36
L6	2	@ad<="19991227" (start near4 transmit \$5) with (timer near4 bit) 709/237.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/14 10:37
L7	1	@ad<="19991227" (receive near3 packet\$1) with (stop near2 timer) 370/328,331,332,335,342.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/14 10:39
S1	22	@ad<="19991227" timer same (transmit near6 bit) stop same timer	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:11
S2	8	@ad<="19991227" timer same (transmit near6 bit) start same stop trip same delay	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:21
S3	11	@ad<="19991227" timer same (transmit near6 bit) start same stop round near4 trip	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:23
S4	31	@ad<="19991227" timer same (transmit near6 bit) start same stop delay	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:24
S5	40	@ad<="19991227" timer same (transmit near6 bit) start stop same bit	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:28
S6	28	@ad<="19991227" timer same (transmit near6 bit) start stop near7 bit	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:28
S7	55	@ad<="19991227" transmit near6 bit (start with stop) same timer	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:35
S8	6	@ad<="19991227" transmit near6 bit (start with stop) same timer packet same delay	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:36
S9	15	@ad<="19991227" transmit near6 bit (start with stop) same timer packet delay	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:36

S10	16	@ad<="19991227" transmit near6 bit (start with stop) same timer packet	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:37
S11	55	@ad<="19991227" transmit near6 bit (start with stop) same timer	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:38
S12	53	@ad<="19991227" (start with stop) same (timer with bit) delay	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:40
S13	2	@ad<="19991227" (start with stop) same (timer with bit) packet same delay	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:40
S14	21	@ad<="19991227" (start with stop) same timer packet same delay	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:41
S15	1	"6751198".pn.	US-PGPUB; USPAT	AND	OFF	2008/04/09 12:44
S16	515	@ad<="19991227" packet same delay timer monitor\$4 bit with set\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:30
S17	2	@ad<="19991227" packet same (trip with delay) timer monitor\$4 bit with (set \$5 near5 start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:38
S18	31	@ad<="19991227" packet same (trip with delay) timer monitori\$4 bit with set \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:40
S19	14	@ad<="19991227" round same (trip with delay) timer same (bit near5 set\$5) monitori\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:49
S20	11	@ad<="19991227" round with delay timer with (bit near5 set\$5) monitori\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:52
S21	21	@ad<="19991227" trip with delay timer with (bit near5 set\$5) monitori\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:52
S22	0	@ad<="19991227" packet\$3 with (round near5 delay) timer with (bit near5 set\$5) monitori\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:53

S23	168	@ad<="19991227" trip with delay timer (bit near5 set\$5) monitori\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:53
S24	150	@ad<="19991227" trip with delay timer (bit near2 set\$5) monitori\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:53
S25	145	@ad<="19991227" trip near4 delay timer (bit near2 set\$5) monitori\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:54
S26	98	@ad<="19991227" trip near4 delay timer (bit near2 set\$5) monitori\$3 packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:54
S27	37	@ad<="19991227" trip near4 delay timer (bit near2 set\$5) monitori\$3 voice same packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:54
S28	69	@ad<="19991227" trip near4 delay timer (bit near2 set\$5) monitori\$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:54
S29	1	@ad<="19991227" trip near4 delay timer with (bit near2 set\$5) monitori\$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:54
S30	34	@ad<="19991227" trip near4 delay timer (bit near set\$5) monitori\$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:55
S31	0	@ad<="19991227" (trip with delay) same (bit near5 set\$5) monitori\$3 voice packet\$2 timer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:58

S32	42	@ad<="19991227" (trip with delay) same (bit) monitori\$3 voice packet\$2 timer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:58
S33	42	@ad<="19991227" (trip with delay) same bit monitori\$3 voice packet\$2 timer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 11:59
S34	0	@ad<="19991227" (trip with delay) same (stop with timer) monitori\$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 12:10
S35	0	@ad<="19991227" (trip with delay) same (stop\$5 with timer) monitori\$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 12:10
S36	1	@ad<="19991227" (trip with delay) (stop\$5 with timer) monitori\$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 12:10
S37	26	@ad<="19991227" (trip with delay) timer with set\$4 monitori\$3 voice packet \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 12:11
S38	25	@ad<="19991227" (round near4 trip) with delay timer with set\$4 monitori\$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 12:15
S39	25	@ad<="19991227" (round near8 trip) with delay timer with set\$4 monitori\$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 12:21
S40	50	@ad<="19991227" (round near3 trip) with delay timer bit with sett\$4 monitori \$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 12:22

S41	33	@ad<="19991227" (round near3 trip) with delay timer bit near3 sett\$4 monitori\$3 voice packet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/15 12:22
S42	0	@ad<="19991227" (start with stop) same (timer with bit) trip with delay monitori\$3	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:24
S43	0	@ad<="19991227" (start with stop) same (timer with bit) trip same delay monitori\$3	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:25
S44	40	@ad<="19991227" (start with stop) same (timer with bit) monitori\$3	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:25
S45	0	@ad<="19991227" (start with stop) same (timer with bit) monitori\$3 round with delay	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:25
S46	26	@ad<="19991227" (start with stop) same (timer with bit) monitori\$3 delay	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:25
S47	9	@ad<="19991227" (start with stop) same (timer with bit) voice delay	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:26
S48	4	@ad<="19991227" (start with stop) same (timer with bit) voice packet\$3	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:28
S49	22	@ad<="19991227" (start with stop) same (timer with bit) network monitori \$3	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:31
S50	0	@ad<="19991227" (start with stop) same (timer with bit) network delay same monitori\$3	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:32
S51	17	@ad<="19991227" (start with stop) same (timer with bit) network monitori \$3 delay	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:32
S52	6	@ad<="19991227" (round near3 trip near4 delay) same monitori\$3 voice with packet\$2	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:34
S53	1	@ad<="19991227" (round near3 trip near4 delay) same monitori\$3 voice with packet\$2 370/230,230.1,231,232,235.ccls.	US-PGPUB; USPAT	AND	OFF	2009/05/15 12:36
S54	3	@ad<="19991227" (start near4 stop) with (timer near4 bit) network monitori \$3 delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 11:06
S55	30	@ad<="19991227" (start near4 stop) with (timer near4 bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 11:09

S56	0	@ad<="19991227" (start near4 stop) with (transmit near4 timer near4 bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 11:09
S57	6	@ad<="19991227" (start near4 transmit \$5) with (timer near4 bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 11:10
S58	2	"4569042".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 11:21
S59	2	@rlad<="19991227" (start near4 transmit\$5) with (timer near4 bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 11:28
S60	3	@prad<="19991227" (start near4 transmit\$5) with (timer near4 bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 11:28
S61	0	@ad<="19991227" (start near4 transmit \$5) with (timer near4 bit) propagation with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:35
S62	24	@ad<="19991227" start with (timer near4 bit) propagation with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:35
S63	2	@ad<="19991227" start with (timer near bit) propagation with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:35
S64	7	@ad<="19991227" start with (timer near3 bit) propagation with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:35

S65	46	@ad<="19991227" start stop (timer near3 bit) propagation with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:37
S66	2	@ad<="19991227" start stop transmit \$4 with (timer near3 bit) propagation with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:37
S67	35	@ad<="19991227" start stop network \$1 (timer near3 bit) propagation with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:38
S68	2	@ad<="19991227" start stop (timer near3 bit) network\$1 with (propagation near3 delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:38
S69	33	@ad<="19991227" start stop (timer near3 bit) network\$1 (propagation near3 delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:39
S70	81	@ad<="19991227" start stop (timer near3 bit) network\$1 with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:41
S71	25	@ad<="19991227" start with stop (timer near3 bit) network\$1 with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:41
S72	24	@ad<="19991227" start with stop transmit (timer near3 bit) network\$1 with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:42
S73	5	@ad<="19991227" start with stop transmit with (timer near3 bit) network \$1 with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:42

S74	6	@ad<="19991227" start stop transmit with (timer near3 bit) network\$1 with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:48
S75	74	@ad<="19991227" start stop transmit (timer near3 bit) network\$1 with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:48
S76	34	@ad<="19991227" start stop transmit (timer near3 bit) network\$1 near3 delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:48
S77	331	@ad<="19991227" start stop (timer near3 bit) network\$1 time with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:50
S78	35	@ad<="19991227" start stop (timer near3 bit) network\$1 propagation with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 13:50
S79	2	"20070189184".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:25
S80	2	"20050058081".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:26
S81	46	@ad<="19991227" start stop (timer near3 bit) propagation with delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:30
S82	17	@ad<="19991227" start stop (timer near3 bit) propagation with delay telephone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:30

S83	48	@ad<="19991227" start stop (timer near3 bit) network with delay telephone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:31
S84	48	@ad<="19991227" start stop (timer near3 bit) network with delay telephone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:41
S85	3	@ad<="19991227" start with (timer near3 bit) network with delay telephone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:44
S86	3	@ad<="19991227" (start near5 stop) with timer (timer near3 bit) network with delay telephone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:45
S87	4	@ad<="19991227" (start near5 stop) with timer set near2 bit\$2 network with delay telephone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:46
S88	12	@ad<="19991227" (start near5 stop) with timer set near2 bit\$2 monitor delay telephone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:48
S89	1	@ad<="19991227" (start near9 stop) with timer set near2 bit\$2 monitor with delay telephone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:54
S90	1	@ad<="19991227" (start near9 stop) with timer set near2 bit\$2 monitor with delay telephone\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:54
S91	24	@ad<="19991227" start with timer set near2 bit\$2 monitor with delay telephone\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/12 15:54

S92	535	@ad<="19991227" start with timer set near2 bit\$2 telephone\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/13 10:08
S93	301	@ad<="19991227" start near2 timer set near2 bit\$2 telephone\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/13 10:08
S94	0	@ad<="19991227" start near2 timer set near2 bit\$2 transmit44 telephone\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/13 10:08
S95	0	@ad<="19991227" start near2 timer set near2 bit\$2 transmit4 telephone\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/13 10:08
S96	33	@ad<="19991227" (start near2 timer) with stop set near2 bit\$2 telephone\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/13 10:09
S97	11	@ad<="19991227" (start near2 timer) with (set near2 bit\$2) telephone\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/13 10:32
S98	4	@ad<="19991227" (start near2 timer) with (set near2 bit\$2) packet\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/13 10:35
S99	9	@ad<="19991227" (start near2 stop) with timer (set near2 bit\$2) with transmit\$4 packet\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/13 10:41
S100	1	@ad<="19991227" (receive near3 packet\$1) with (stop near2 timer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/13 10:44

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	5	@ad<="19991227" (start near4 transmit \$5) with (timer near4 bit)	USPAT; UPAD	AND	ON	2010/10/14 10:37

10/14/2010 10:39:42 AM

C:\Documents and Settings\rjain1\My Documents\EAST\Workspaces\10808724.wsp